arXiv:physics/0212008v1 [physics.atom-ph] 2 Dec 2002

Fourth-order perturbative extension of the single-double excitation coupled-c
Part II: Angular reduction

Andrei Derevianko
Physics Department, University of Nevada, Reno, NV 89557

February 2, 2008

Abstract

We tabulate angularly reduced fourth-order many-body corrections to matrix elements for univalent atoms, derived in [A.
Emmons, Phys. Rev. A **65** , 052115 (2002)]. In particular we focus on practically important diagrams complementary to those in
cluster method truncated at single and double excitations. Derivation and angular reduction of a large number of diagrams have
the help of symbolic algebra software.

1 Generalities

This e-print serves as an electronic supplement to Ref. [DE02]. In that paper we derived fourth-order many-body correctio
univalent atoms. Based on the derived diagrams we proposed next-generation many-body method for calculating atomic
violating amplitudes. Here I carry out the next necessary step required in a practical implementation of this method —
relevant diagrams.

In Ref. [DE02] the fourth-order diagrams were classified using coupled-cluster-inspired separation into contributions from n-pa
lowest-order wavefunction. It was found that the complete set of fourth-order diagrams involves only connected single, double,
disconnected quadruple excitations. Approximately half of the fourth-order diagrams is *not* accounted for by the popular coupl
truncated at single and double excitations (CCSD). To devise a practical scheme capable of improving accuracies of the exis
we proposed to combine direct order-by-order many-body perturbation theory (MBPT) with the truncated CCSD metho
in Fig. 1: the CCSD method recovers all many-body diagrams up to the third order of MBPT for matrix elements, but mis
from the fourth order. Such a fusion of (truncated) all-order methods with order-by-order MBPT promises improved accura
violating effects for several practically interesting atoms such as Cs, Fr, and with some modifications to Tl. It is worth noting

fourth-order diagrams we also devised a partial summation scheme to all orders of MBPT [DE02]. The discussion of that app of the present e-print.



Figure 1: CCSD vs order-by-order MBPT for one-particle matrix elements.

We considered a matrix element M_{wv} of non-scalar operator Z between two states of valence electron w and v. The set of MB tary to CCSD is entirely due to omitted triple excitations from the reference Hartree-Fock determinant. We separated thes into three major classes by noting that triples enter the fourth order matrix element $\mathcal{M}^{(4)}_{wv}$ via

1. an *indirect* effect of triples on single and double excitations in the third-order wavefunction — we denote this class as
2. *direct* contribution of triples to matrix elements — class $Z_{1\times2}$,
3. correction to normalization – $Z_{\rm norm}$.

Further these classes are broken into subclasses based on the nature of triples, so that

$$\left(\mathcal{M}^{(4)}_{wv}\right)_{\rm non-CCSD} = Z_{1\times2}(T_v) + Z_{1\times2}(T_c) + \\ Z_{0\times3}(S_v[T_v]) + Z_{0\times3}(D_v[T_v]) + Z_{0\times3}(S_c[T_c]) + Z_{0\times3}(D_v[T_c]) + \\ Z_{\rm norm}(T_v)\,.$$

Here we distinguished between valence (T_v) and core (T_c) triples and introduced a similar notation for singles (S) and do
$S_v[T_c]$ stands for an effect of second-order core triples (T_c) on third-order valence singles S_v. The reader is referred to Ref.
and discussion. Representative diagrams are shown in Fig. 2 and algebraic expressions are tabulated in the Appendix of Re


$Z_{1\text{x}2}\,(T_v)$, 44

$Z_{1\text{x}2}\,(T_c)$, 20

$Z_{0\text{x}3}\,(S_v[T_v])$, 8

$Z_{\text{norm}}(T_v)$, 8

$Z_{0\text{x}3}\,(D_v[T_v])$, 36

$Z_{0\text{x}3}\,(D_v[T_c])$, 12

$Z_{0\text{x}3}\,(S_c[T_c])$, 8

Figure 2: Sample fourth-order diagrams involving triple excitations. The one-particle matrix element is denoted by a wavy hori
contributions for each class of diagrams is also shown; direct, all possible exchange, and the conjugated graphs of a given diagra
contribution.

1.1 Sample contribution and notation

Here is a sample fourth-order term derived in Ref. [DE02]

$$Z_{0\times 3}(S_c[T_c]) = -\sum_{abcmnr} \frac{z_{bv}\tilde{g}_{acnr}g_{nrcm}\tilde{g}_{mwab}}{(\varepsilon_w-\varepsilon_b)\,(\varepsilon_{mw}-\varepsilon_{ab})\,(\varepsilon_{nrw}-\varepsilon_{abc})} + 7\,\text{additional terms} + \text{h.c.s.}$$

In energy denominators, abbreviation $\varepsilon_{xy\ldots z}$ stands for $\varepsilon_x+\varepsilon_y+\cdots\varepsilon_z$, with ε_x being single-particle Dirac-Hartree-Fock (D
are matrix elements of Coulomb interaction in the basis of DHF orbitals $u_i(\mathbf{r})$

$$g_{ijkl} = \int u_i^\dagger(\mathbf{r})\,u_j^\dagger(\mathbf{r}')\,\frac{1}{|\mathbf{r}-\mathbf{r}'|}u_k(\mathbf{r})\,u_l(\mathbf{r}')\,d^3r\,d^3r'\,.$$

The quantities $\tilde{g}_{ijlk}$ are antisymmetric combinations $\tilde{g}_{ijlk} = g_{ijlk} - g_{ijkl}$. The summation is over single-particle DHF states,
following convention: core orbitals are enumerated by letters a, b, c, d, complementary excited states are labelled by $m, n, r,$
denoted by v and w. Finally matrix elements of operator $\hat{Z}$ in the DHF basis are denoted z_{ij} and the h.c.s. contribution is
the hermitian conjugate of all preceding terms and swapping labels v and w.

1.2 Angular reduction

Having introduced building blocks of a many-body contribution to matrix elements, now we proceed to angular reduction, t
a summation over magnetic quantum numbers in a closed form.

One-particle DHF orbital may be conventionally represented as

$$u(\mathbf{r}) = \frac{1}{r} \left(\begin{array}{c} iP_{n\kappa}(r)\ \Omega_{\kappa m}(\hat{r}) \\ Q_{n\kappa}(r)\ \Omega_{-\kappa m}(\hat{r}) \end{array} \right) ,$$

where P and Q are large and small radial components, $\kappa = (l-j)\,(2j+1)$, and $\Omega_{\kappa m}$ is the spherical spinor. Then in Eq.
orbital i encapsulates summation over principal quantum number n_i, angular momentum j_i (or κ_i), and magnetic quantum

The Wigner-Eckart (WE) theorem [Edm85] allows to “peel off” m-dependence of various matrix elements. WE theorem
$Z_Q^{(K)}$ is the Q^{th} component of an irreducible tensor operator of rank K, then the matrix element $\langle n_1 j_1 m_1 | Z_M^{(K)} | n_2 j_2 m_2 \rangle$ ma

$$\langle n_1 j_1 m_1 | Z_Q^{(K)} | n_2 j_2 m_2 \rangle = (-1)^{j_1 - m_1} \left(\begin{array}{ccc} j_1 & K & j_2 \\ -m_1 & Q & m_2 \end{array} \right) \langle n_1 j_1 || Z^{(K)} || n_2 j_2 \rangle ,$$

where $\langle nj | Z^{(K)} | n' j' \rangle$ is a reduced matrix element. Using the WE theorem and expansion of $1/|\mathbf{r}-\mathbf{r}'|$ into Legendre polynom
element (3) is traditionally represented as

$$g_{abcd} = \sum_{LM} (-1)^{L-M} (-1)^{j_a - m_a} \left(\begin{array}{ccc} j_a & L & j_c \\ -m_a & M & m_c \end{array} \right) (-1)^{j_b - m_b} \left(\begin{array}{ccc} j_b & L & j_d \\ -m_b & -M & m_d \end{array} \right) X_L(abcd) ,$$

where Coulomb integral

$$X_L(abcd) = (-1)^L \langle \kappa_a || C^{(L)} || \kappa_c \rangle \langle \kappa_b || C^{(L)} || \kappa_d \rangle R_L(abcd)$$

is defined in terms of reduced matrix element of normalized spherical harmonics $C^{(L)}$ [VMK88] and a Slater integral exp
components of single-particle orbitals

$$R_L(abcd) = \int_0^\infty dr_1 [P_a(r_1) P_c(r_1) + Q_a(r_1) Q_c(r_1)] \int_0^\infty dr_2 \frac{r_<^L}{r_>^{L+1}} [P_b(r_2) P_d(r_2) + Q_b(r_2) Q_d(r_2)$$

with $r_< = \min(r_1, r_2)$ and $r_> = \max(r_1, r_2)$. The anti-symmetrized combinations $\tilde{g}_{abcd} = g_{abcd} - g_{abdc}$ are reduced similar t
$X_L(abcd)$ is replaced with

$$Z_L(abcd) = X_L(abcd) + [L] \sum_{L'} \left\{ \begin{array}{ccc} b & d & k \\ a & c & k' \end{array} \right\} X_{L'}(bacd) .$$

Here $[L] = 2L + 1$. It is worth emphasizing that both $Z_L(abcd)$ and $X_L(abcd)$ do not depend on magnetic quantum number

Angular reduction, i.e. summation over magnetic quantum numbers of atomic single-particle orbitals in many-body diagra leads to many-body correction to *reduced* matrix elements, $\bar{M}_{wv}$, as prescribed by the WE theorem (5)

$$\mathcal{M}_{wv} = (-1)^{j_w - m_w} \begin{pmatrix} j_w & K & j_v \\ -m_w & Q & m_v \end{pmatrix} \overline{M}_{wv} \,,$$

where K and Q are the rank and component of the underlying one-particle operator Z. In symbolic calculations it is more relation and compute

$$\overline{M}_{wv} = \sum_{m_w m_v Q} (-1)^{j_w - m_w} \begin{pmatrix} j_w & K & j_v \\ -m_w & Q & m_v \end{pmatrix} \mathcal{M}_{wv} \,.$$

To derive many-body diagrams and carry out angular reduction we developed a symbolic tool based on Mathematica [Wol angular reduction routine [Tak92]. This package allows to work with MBPT expressions in an interactive regime. For examp tabulated in the Section 2 have been generated automatically. Without the help of symbolic tools, the sheer number of diagr MBPT would have made the traditional “pencil-and-paper” approach unmanageable and error-prone. The correctness of the verified by repeating results of angular reduction for the third-order corrections to matrix elements, tabulated by Johnson, Li

The results of the angular reduction is given in Section 2. In addition to the Coulomb matrix elements $X_L(abcd)$ and $X_L(abc$ used the following notation. Reduced matrix elements of a non-scalar one-particle operator Z are denoted as $\langle i||z||j\rangle$, K is $(-1)^{a+\cdots} = (-1)^{j_a+\cdots}$, $\delta_\kappa(a,b) = \delta_{\kappa_a,\kappa_b}$, and $[a] = 2\,j_a + 1$.

As to the angular reduction of h.c.s. terms, it is given simply by adding a phase factor and swapping labels w and v in the

$$\overline{\text{h.c.s. } (M_{wv})} = (-1)^{w-v} \bar{M}_{wv}(w \leftrightarrow v),$$

provided reduced matrix element of one-particle operator satisfies

$$\langle a||z||b\rangle = (-1)^{a-b} \langle b||z||a\rangle \,.$$

The relation (8) allows us to carry out angular reduction and code only half of the diagrams, which is of a great utility consid of diagrams in the fourth order MBPT. The requirement (9) is not restrictive, it holds for all practically important matri electric and magnetic multipoles, hyperfine, and parity-violating matrix elements.

To reiterate, in this e-print we have tabulated angularly reduced fourth-order corrections to matrix elements for univalent atom large number of diagrams we focused on the diagrams complementary to those included in the coupled cluster method trunc excitations. The derivation of the diagrams and angular reduction has been carried out with the help of symbolic algebra s plan to extend the suite to automatically generate Fortran code for these contributions and to perform numerical evaluation

I would like to thank W.R. Johnson, W.F. Perger, and K. Takada for discussions. This work has been supported in part Foundation.

References

[DE02] A. Derevianko and E. D. Emmons. Fourth-order perturbative extension of the single-double excitation coupled-cl *A*, 65:052115, 2002. e-print:physics/0112035.

[Edm85] A. R. Edmonds. *Angular Momentum in Quantum Mechanics*. Princeton University Press, 1985.

[JLS96] W. R. Johnson, Z. W. Liu, and J. Sapirstein. Transition rates for lithium-like ions, sodium-like ions, and neutra *Data Nucl. Data Tables*, 64(2):279–300, 1996.

[LM86] I. Lindgren and J. Morrison. *Atomic Many–Body Theory*. Springer–Verlag, Berlin, second edition, 1986.

[Tak92] K. Takada. Programs for algebraic calculation of angular momentum coupling. *Comp. Phys. Comm.*, 69(1):142–5

[VMK88] D. A. Varshalovich, A. N. Moscalev, and V. K. Khersonsky. *Quantum Theory of Angular Momentum*. World Scie

[Wol99] S. Wolfram. *The Mathematica Book*. Wolfram Media/Cambridge University Press, Champaign, Illinois, fourth ed

2 Formulae

2.1 $Z_{1\times 2}\left(T_c\right)$

$Z_{1\times 2}\left(T_c\right) =$

$$-\sum_{abcmnr}\sum_{L_1L_2}\frac{(-1)^{c+L_2-r-v-w}\left\{\begin{matrix}K&v&w\\b&L_2&L_1\end{matrix}\right\}\left\{\begin{matrix}L_1&K&L_2\\a&m&n\end{matrix}\right\}Z_{L_1}(cbrv)\,Z_{L_1}(rncm)\,Z_{L_2}(mwab)\,\langle a||z||n\rangle}{(\varepsilon_{mw}-\varepsilon_{ab})\,(\varepsilon_{rv}-\varepsilon_{bc})\,(\varepsilon_{nrw}-\varepsilon_{abc})\,[L_1]}+$$

$$-\left(\frac{1}{[K]}\right)\sum_{abcmnr}\sum_{L_1}\frac{(-1)^{a+b+c+L_1-m-n-r}\left\{\begin{matrix}w&L_1&m\\b&K&v\end{matrix}\right\}Z_K(mnba)\,Z_{L_1}(cbrv)\,Z_{L_1}(rwcm)\,\langle a||z||n\rangle}{(\varepsilon_{mn}-\varepsilon_{ab})\,(\varepsilon_{rv}-\varepsilon_{bc})\,(\varepsilon_{nrw}-\varepsilon_{abc})\,[L_1]}+$$

$$-\sum_{abcmnr}\sum_{L_1L_3}\frac{(-1)^{b+K+L_1-n-v-w}\left\{\begin{matrix}K&w&v\\c&L_1&L_3\end{matrix}\right\}\left\{\begin{matrix}L_3&K&L_1\\a&m&r\end{matrix}\right\}Z_{L_1}(bcnv)\,Z_{L_1}(mnab)\,Z_{L_3}(wrcm)\,\langle a||z||r\rangle}{(\varepsilon_{mn}-\varepsilon_{ab})\,(\varepsilon_{nv}-\varepsilon_{bc})\,(\varepsilon_{nrw}-\varepsilon_{abc})\,[L_1]}+$$

$$\frac{1}{[w]} \sum_{abcmnr} \sum_{L_1 L_3} \frac{\delta_\kappa(a,w)\, \delta_\kappa(b,m)\, (-1)^{c+L_3-n+r+w}\, X_{L_1}(nrcm)\, Z_{L_1}(cbnr)\, Z_{L_3}(mwab)\, \langle a||z||v\rangle}{(\varepsilon_{mw}-\varepsilon_{ab})\, (\varepsilon_{nr}-\varepsilon_{bc})\, (\varepsilon_{nrw}-\varepsilon_{abc})\, [b]\, [L_1]} +$$

$$-\left(\frac{1}{[w]}\right) \sum_{abcmnr} \sum_{L_1 L_2} \frac{\delta_\kappa(a,w)\, (-1)^{b+c+L_2+m-n-r+w}\, Z_{L_1}(bcnr)\, Z_{L_1}(mnab)\, Z_{L_2}(rwcm)\, \langle a||z||v\rangle}{(\varepsilon_{mn}-\varepsilon_{ab})\, (\varepsilon_{nr}-\varepsilon_{bc})\, (\varepsilon_{nrw}-\varepsilon_{abc})\, [L_2]^2} +$$

$$\frac{1}{[K]} \sum_{abcdmn} \sum_{L_1 L_2} \frac{(-1)^{b-m-v-w} \left\{ \begin{array}{ccc} K & v & w \\ d & L_1 & L_2 \end{array} \right\} \left\{ \begin{array}{ccc} L_2 & K & L_1 \\ a & c & n \end{array} \right\} X_{L_1}(awcd)\, Z_K(mnba)\, Z_{L_2}(cdnv)\, \langle b||z||m\rangle}{(\varepsilon_{mn}-\varepsilon_{ab})\, (\varepsilon_{nv}-\varepsilon_{cd})\, (\varepsilon_{mnw}-\varepsilon_{bcd})} +$$

$$\frac{1}{[K]\, [v]} \sum_{abcdmn} \sum_{L_1} \frac{\delta_\kappa(a,v)\, (-1)^{b-c+d+K-m-n-v}\, X_{L_1}(ancd)\, Z_K(mwba)\, Z_{L_1}(dcnv)\, \langle b||z||m\rangle}{(\varepsilon_{mw}-\varepsilon_{ab})\, (\varepsilon_{nv}-\varepsilon_{cd})\, (\varepsilon_{mnw}-\varepsilon_{bcd})\, [L_1]} +$$

$$\sum_{abcdmn} \sum_{L_1 L_2 L_3} \frac{(-1)^{-b+K+L_3-v} \left\{ \begin{array}{ccc} L_2 & L_3 & L_1 \\ a & c & m \end{array} \right\} \left\{ \begin{array}{ccc} L_3 & v & n \\ d & L_1 & L_2 \end{array} \right\} \left\{ \begin{array}{ccc} v & L_3 & n \\ b & K & w \end{array} \right\} X_{L_1}(ancd)\, Z_{L_2}(cdmv)\, Z_{L_3}(mwab}{(\varepsilon_{mv}-\varepsilon_{cd})\, (\varepsilon_{mw}-\varepsilon_{ab})\, (\varepsilon_{mnw}-\varepsilon_{bcd})}$$

$$\frac{1}{[w]} \sum_{abcdmn} \sum_{L_1 L_2 L_3} \frac{\delta_\kappa(b,w) \left\{ \begin{array}{ccc} L_2 & n & w \\ d & L_1 & L_3 \end{array} \right\} \left\{ \begin{array}{ccc} L_3 & L_2 & L_1 \\ a & c & m \end{array} \right\} X_{L_1}(awcd)\, X_{L_2}(mnab)\, Z_{L_3}(cdmn)\, \langle b||z||v\rangle}{(\varepsilon_{mn}-\varepsilon_{ab})\, (\varepsilon_{mn}-\varepsilon_{cd})\, (\varepsilon_{mnw}-\varepsilon_{bcd})} +$$

$$\frac{1}{\sqrt{[w]}} \sum_{abcdmn} \sum_{L_1} \frac{\delta_\kappa(a,m)\, \delta_\kappa(b,w)\, (-1)^{-a-c+d-n}\, X_{L_1}(ancd)\, Z_0(mwab)\, Z_{L_1}(cdmn)\, \langle b||z||v\rangle}{(\varepsilon_{mn}-\varepsilon_{cd})\, (\varepsilon_{mw}-\varepsilon_{ab})\, (\varepsilon_{mnw}-\varepsilon_{bcd})\, \sqrt{[a]}\, [L_1]} +$$

$$\sum_{abcdmn} \sum_{L_1 L_2} \frac{(-1)^{b+L_1-n-v-w} \left\{ \begin{array}{ccc} K & L_2 & L_1 \\ a & c & m \end{array} \right\} \left\{ \begin{array}{ccc} K & v & w \\ d & L_1 & L_2 \end{array} \right\} Z_{L_1}(awcd)\, Z_{L_2}(bdnv)\, Z_{L_2}(mnab)\, \langle c||z||m\rangle}{(\varepsilon_{mn}-\varepsilon_{ab})\, (\varepsilon_{nv}-\varepsilon_{bd})\, (\varepsilon_{mnw}-\varepsilon_{bcd})\, [L_2]} +$$

$$\sum_{abcdmn} \sum_{L_1 L_3} \frac{(-1)^{d+K+L_1-n-v-w} \left\{ \begin{array}{ccc} K & L_3 & L_1 \\ a & c & m \end{array} \right\} \left\{ \begin{array}{ccc} K & w & v \\ b & L_1 & L_3 \end{array} \right\} Z_{L_1}(ancd)\, Z_{L_1}(dbnv)\, Z_{L_3}(mwab)\, \langle c||z||m\rangle}{(\varepsilon_{mw}-\varepsilon_{ab})\, (\varepsilon_{nv}-\varepsilon_{bd})\, (\varepsilon_{mnw}-\varepsilon_{bcd})\, [L_1]} +$$

$$-\left(\frac{1}{[K]}\right) \sum_{abcdmn} \sum_{L_2} \frac{(-1)^{-a+b+c-d+L_2-m-n} \left\{ \begin{array}{ccc} v & w & K \\ a & d & L_2 \end{array} \right\} Z_K(andc)\, Z_{L_2}(bdmv)\, Z_{L_2}(mwba)\, \langle c||z||n\rangle}{(\varepsilon_{mv}-\varepsilon_{bd})\, (\varepsilon_{mw}-\varepsilon_{ab})\, (\varepsilon_{mnw}-\varepsilon_{bcd})\, [L_2]} +$$

$$-\left(\frac{1}{[K]}\right) \sum_{abcmnr} \sum_{L_1 L_2} \frac{(-1)^{c-n-v-w} \left\{ \begin{array}{ccc} K & L_2 & L_1 \\ a & m & r \end{array} \right\} \left\{ \begin{array}{ccc} K & v & w \\ b & L_1 & L_2 \end{array} \right\} X_{L_1}(mwab)\, Z_K(nrcm)\, Z_{L_2}(abrv)\, \langle c||z||n\rangle}{(\varepsilon_{mw}-\varepsilon_{ab})\, (\varepsilon_{rv}-\varepsilon_{ab})\, (\varepsilon_{nrw}-\varepsilon_{abc})} +$$

$$- \sum_{abcmnr} \sum_{L_1 L_2 L_3} \frac{(-1)^{-c+K+L_3-v} \left\{ \begin{array}{ccc} L_3 & L_2 & L_1 \\ a & m & r \end{array} \right\} \left\{ \begin{array}{ccc} L_3 & v & n \\ b & L_1 & L_2 \end{array} \right\} \left\{ \begin{array}{ccc} v & L_3 & n \\ c & K & w \end{array} \right\} X_{L_1}(mnab)\, Z_{L_2}(bavr)\, Z_{L_3}(rwm}{(\varepsilon_{mn} - \varepsilon_{ab})\, (\varepsilon_{rv} - \varepsilon_{ab})\, (\varepsilon_{nrw} - \varepsilon_{abc})}$$

$$- \left(\frac{1}{[K]\,[v]} \right) \sum_{abcmnr} \sum_{L_1} \frac{\delta_\kappa(m,v)\, (-1)^{-a+b+c+K-n-r-v}\, X_{L_1}(mnab)\, Z_K(rwcm)\, Z_{L_1}(banv)\, \langle c||z||r \rangle}{(\varepsilon_{mn} - \varepsilon_{ab})\, (\varepsilon_{nv} - \varepsilon_{ab})\, (\varepsilon_{nrw} - \varepsilon_{abc})\, [L_1]} +$$

$$- \left(\frac{1}{[w]} \right) \sum_{abcmnr} \sum_{L_1 L_2 L_3} \frac{\delta_\kappa(c,w) \left\{ \begin{array}{ccc} L_2 & L_3 & L_1 \\ a & m & r \end{array} \right\} \left\{ \begin{array}{ccc} L_2 & n & w \\ b & L_1 & L_3 \end{array} \right\} X_{L_1}(mwab)\, X_{L_2}(nrcm)\, Z_{L_3}(banr)\, \langle c||z||v \rangle}{(\varepsilon_{mw} - \varepsilon_{ab})\, (\varepsilon_{nr} - \varepsilon_{ab})\, (\varepsilon_{nrw} - \varepsilon_{abc})} +$$

$$\frac{1}{[w]} \sum_{abcdmn} \sum_{L_1 L_2} \frac{\delta_\kappa(a,d)\, \delta_\kappa(c,w)\, (-1)^{b+L_2+m-n-w}\, X_{L_1}(mnab)\, Z_{L_1}(bdnm)\, Z_{L_2}(awcd)\, \langle c||z||v \rangle}{(\varepsilon_{mn} - \varepsilon_{ab})\, (\varepsilon_{mn} - \varepsilon_{bd})\, (\varepsilon_{mnw} - \varepsilon_{bcd})\, [a]\, [L_1]} +$$

$$\frac{1}{[w]} \sum_{abcdmn} \sum_{L_1 L_2} \frac{\delta_\kappa(c,w)\, (-1)^{-a+b+d+L_1-m-n-w}\, Z_{L_1}(ancd)\, Z_{L_1}(mwba)\, Z_{L_2}(bdmn)\, \langle c||z||v \rangle}{(\varepsilon_{mn} - \varepsilon_{bd})\, (\varepsilon_{mw} - \varepsilon_{ab})\, (\varepsilon_{mnw} - \varepsilon_{bcd})\, [L_1]^2} +$$

$$- \left(\frac{1}{[w]} \right) \sum_{abcmnr} \sum_{L_1 L_3} \frac{\delta_\kappa(c,w)\, \delta_\kappa(m,r)\, (-1)^{-a+b+L_3-n+w}\, X_{L_1}(mnab)\, Z_{L_1}(banr)\, Z_{L_3}(rwcm)\, \langle c||z||v \rangle}{(\varepsilon_{mn} - \varepsilon_{ab})\, (\varepsilon_{nr} - \varepsilon_{ab})\, (\varepsilon_{nrw} - \varepsilon_{abc})\, [L_1]\, [m]} +$$

$\overline{h.c.s.}$

2.2 $Z_{1\times 2}\left(T_v^h\right)$

$Z_{1\times 2}\left(T_v^h\right) =$

$$\sum_{abcmnr}\sum_{L_1L_2L_3}\frac{(-1)^{-a+K+L_3+v}\left\{\begin{matrix} L_1 & L_2 & L_3 \\ b & m & n\end{matrix}\right\}\left\{\begin{matrix} L_1 & v & r \\ c & L_2 & L_3\end{matrix}\right\}\left\{\begin{matrix} v & L_3 & c \\ a & K & w\end{matrix}\right\} X_{L_1}(nrmv)\, Z_{L_2}(cbrn)\, Z_{L_3}(wmab)}{(\varepsilon_{mw}-\varepsilon_{ab})\,(\varepsilon_{nr}-\varepsilon_{bc})\,(\varepsilon_{nrw}-\varepsilon_{abv})}$$

$$-\left(\frac{1}{[K]}\right)\sum_{abcmnr}\sum_{L_1}\frac{\delta_\kappa(c,m)\,(-1)^{a+b+K-n+r}\,X_{L_1}(nrbm)\,Z_K(mwav)\,Z_{L_1}(bcnr)\,\langle a||z||c\rangle}{(\varepsilon_{mw}-\varepsilon_{av})\,(\varepsilon_{nr}-\varepsilon_{bc})\,(\varepsilon_{nrw}-\varepsilon_{abv})\,[c]\,[L_1]}+$$

$$-\sum_{abcmnr}\sum_{L_1L_2}\frac{(-1)^{b+K+L_1-r+v+w}\left\{\begin{matrix} L_1 & L_2 & K \\ a & c & n\end{matrix}\right\}\left\{\begin{matrix} m & w & L_1 \\ K & L_2 & v\end{matrix}\right\} Z_{L_1}(bcrn)\,Z_{L_1}(rwbm)\,Z_{L_2}(nmav)\,\langle a||z||c\rangle}{(\varepsilon_{mn}-\varepsilon_{av})\,(\varepsilon_{nr}-\varepsilon_{bc})\,(\varepsilon_{nrw}-\varepsilon_{abv})\,[L_1]}+$$

$$\frac{1}{[K]}\sum_{abcmnr}\sum_{L_1}\frac{(-1)^{-a+b-c+L_1+m-n-r}\left\{\begin{matrix} r & m & K \\ a & c & L_1\end{matrix}\right\} Z_K(rwmv)\,Z_{L_1}(bcnr)\,Z_{L_1}(mnab)\,\langle a||z||c\rangle}{(\varepsilon_{mn}-\varepsilon_{ab})\,(\varepsilon_{nr}-\varepsilon_{bc})\,(\varepsilon_{nrw}-\varepsilon_{abv})\,[L_1]}+$$

$$\frac{1}{[K]}\sum_{abmnrs}\sum_{L_1L_2}\frac{(-1)^{a-n-v-w}\left\{\begin{matrix} L_1 & L_2 & K \\ b & m & r\end{matrix}\right\}\left\{\begin{matrix} w & v & K \\ L_1 & L_2 & s\end{matrix}\right\} X_{L_1}(rsmv)\,Z_K(mnba)\,Z_{L_2}(bwrs)\,\langle a||z||n\rangle}{(\varepsilon_{mn}-\varepsilon_{ab})\,(\varepsilon_{rs}-\varepsilon_{bw})\,(\varepsilon_{nrs}-\varepsilon_{abv})}+$$

$$\frac{1}{[K]\,[w]}\sum_{abmnrs}\sum_{L_1}\frac{\delta_\kappa(m,w)\,(-1)^{a+b+K-n-r+s+w}\,X_{L_1}(rsbm)\,Z_K(mnva)\,Z_{L_1}(bwrs)\,\langle a||z||n\rangle}{(\varepsilon_{mn}-\varepsilon_{av})\,(\varepsilon_{rs}-\varepsilon_{bw})\,(\varepsilon_{nrs}-\varepsilon_{abv})\,[L_1]}+$$

$$\sum_{abmnrs}\sum_{L_1L_2}\frac{(-1)^{b+K+L_1-s+v+w}\left\{\begin{matrix} L_1 & K & L_2 \\ a & m & r\end{matrix}\right\}\left\{\begin{matrix} n & w & L_1 \\ K & L_2 & v\end{matrix}\right\} Z_{L_1}(bwsn)\,Z_{L_1}(srbm)\,Z_{L_2}(mnav)\,\langle a||z||r\rangle}{(\varepsilon_{mn}-\varepsilon_{av})\,(\varepsilon_{ns}-\varepsilon_{bw})\,(\varepsilon_{nrs}-\varepsilon_{abv})\,[L_1]}+$$

$$\sum_{abmnrs}\sum_{L_1L_3}\frac{(-1)^{b+L_3-n+v+w}\left\{\begin{matrix} L_3 & K & L_1 \\ a & m & r\end{matrix}\right\}\left\{\begin{matrix} s & v & L_3 \\ K & L_1 & w\end{matrix}\right\} Z_{L_1}(bwns)\,Z_{L_1}(mnab)\,Z_{L_3}(rsmv)\,\langle a||z||r\rangle}{(\varepsilon_{mn}-\varepsilon_{ab})\,(\varepsilon_{ns}-\varepsilon_{bw})\,(\varepsilon_{nrs}-\varepsilon_{abv})\,[L_1]}+$$

$$\frac{(-1)^{4\,K}}{[K]}\sum_{abcmnr}\sum_{L_1L_2}\frac{\left\{\begin{matrix} L_1 & L_2 & K \\ a & m & r\end{matrix}\right\}\left\{\begin{matrix} L_2 & L_1 & K \\ b & c & n\end{matrix}\right\} X_{L_1}(nrbm)\,Z_K(mwav)\,Z_{L_2}(acrn)\,\langle b||z||c\rangle}{(\varepsilon_{mw}-\varepsilon_{av})\,(\varepsilon_{nr}-\varepsilon_{ac})\,(\varepsilon_{nrw}-\varepsilon_{abv})}+$$

$$- \sum_{abcmnr} \sum_{L_1 L_3} \frac{(-1)^{a+L_3-n+v+w} \left\{ \begin{array}{ccc} L_1 & L_3 & K \\ b & c & r \end{array} \right\} \left\{ \begin{array}{ccc} m & w & L_3 \\ K & L_1 & v \end{array} \right\} Z_{L_1}(acnr)\, Z_{L_1}(nmav)\, Z_{L_3}(rwbm)\, \langle b||z||c\rangle}{(\varepsilon_{mn} - \varepsilon_{av})\, (\varepsilon_{nr} - \varepsilon_{ac})\, (\varepsilon_{nrw} - \varepsilon_{abv})\, [L_1]} +$$

$$- \sum_{abmnrs} \sum_{L_1 L_2 L_3} \frac{(-1)^{K+L_3-n+w} \left\{ \begin{array}{ccc} L_1 & L_2 & L_3 \\ a & m & s \end{array} \right\} \left\{ \begin{array}{ccc} L_2 & w & r \\ b & L_1 & L_3 \end{array} \right\} \left\{ \begin{array}{ccc} L_3 & w & b \\ K & n & v \end{array} \right\} X_{L_1}(rsbm)\, Z_{L_2}(awsr)\, Z_{L_3}(mna}{(\varepsilon_{mn} - \varepsilon_{av})\, (\varepsilon_{rs} - \varepsilon_{aw})\, (\varepsilon_{nrs} - \varepsilon_{abv})}$$

$$- \left(\frac{1}{[K]}\right) \sum_{abmnrs} \sum_{L_1} \frac{(-1)^{a+b+L_1+m-n-r+s} \left\{ \begin{array}{ccc} K & w & v \\ L_1 & m & s \end{array} \right\} Z_K(rsbm)\, Z_{L_1}(awns)\, Z_{L_1}(nmav)\, \langle b||z||r\rangle}{(\varepsilon_{mn} - \varepsilon_{av})\, (\varepsilon_{ns} - \varepsilon_{aw})\, (\varepsilon_{nrs} - \varepsilon_{abv})\, [L_1]} +$$

$$- \left(\frac{1}{[K]}\right) \sum_{abmnrs} \sum_{L_1} \frac{(-1)^{a+b+L_1-m+n-r+s} \left\{ \begin{array}{ccc} n & L_1 & m \\ a & K & s \end{array} \right\} Z_K(mwav)\, Z_{L_1}(bars)\, Z_{L_1}(rnbm)\, \langle s||z||n\rangle}{(\varepsilon_{mw} - \varepsilon_{av})\, (\varepsilon_{rs} - \varepsilon_{ab})\, (\varepsilon_{nrw} - \varepsilon_{abv})\, [L_1]} +$$

$$- \sum_{abmnrs} \sum_{L_1 L_2 L_3} \frac{(-1)^{K+L_3-n+w} \left\{ \begin{array}{ccc} L_3 & L_2 & L_1 \\ a & m & r \end{array} \right\} \left\{ \begin{array}{ccc} L_3 & s & w \\ b & L_1 & L_2 \end{array} \right\} \left\{ \begin{array}{ccc} L_3 & w & s \\ K & n & v \end{array} \right\} X_{L_1}(mwab)\, Z_{L_2}(basr)\, Z_{L_3}(rnm}{(\varepsilon_{mw} - \varepsilon_{ab})\, (\varepsilon_{rs} - \varepsilon_{ab})\, (\varepsilon_{nrw} - \varepsilon_{abv})}$$

$$- \sum_{abmnrs} \sum_{L_1 L_2} \frac{(-1)^{-a+b+K+L_1+L_2-m-n-r+s} \left\{ \begin{array}{ccc} L_2 & w & s \\ K & n & v \end{array} \right\} \left\{ \begin{array}{ccc} w & L_2 & s \\ a & L_1 & m \end{array} \right\} Z_{L_1}(bars)\, Z_{L_1}(rwbm)\, Z_{L_2}(mnav)\, \langle s||z||}{(\varepsilon_{mn} - \varepsilon_{av})\, (\varepsilon_{rs} - \varepsilon_{ab})\, (\varepsilon_{nrw} - \varepsilon_{abv})\, [L_1]}$$

$$- \left(\frac{1}{[K]}\right) \sum_{abmnrs} \sum_{L_1 L_2} \frac{\left\{ \begin{array}{ccc} K & L_2 & L_1 \\ a & m & r \end{array} \right\} \left\{ \begin{array}{ccc} K & s & n \\ b & L_1 & L_2 \end{array} \right\} X_{L_1}(mnab)\, Z_K(rwmv)\, Z_{L_2}(abrs)\, \langle s||z||n\rangle}{(\varepsilon_{mn} - \varepsilon_{ab})\, (\varepsilon_{rs} - \varepsilon_{ab})\, (\varepsilon_{nrw} - \varepsilon_{abv})} +$$

$$\sum_{abmnrs} \sum_{L_1 L_3} \frac{(-1)^{a+K+L_1-n+v+w} \left\{ \begin{array}{ccc} K & L_1 & L_3 \\ b & r & s \end{array} \right\} \left\{ \begin{array}{ccc} m & w & L_3 \\ K & L_1 & v \end{array} \right\} Z_{L_1}(abns)\, Z_{L_1}(nmav)\, Z_{L_3}(rwbm)\, \langle s||z||r\rangle}{(\varepsilon_{mn} - \varepsilon_{av})\, (\varepsilon_{ns} - \varepsilon_{ab})\, (\varepsilon_{nrw} - \varepsilon_{abv})\, [L_1]} +$$

$$- \left(\frac{1}{[K]}\right) \sum_{abmnrs} \sum_{L_1} \frac{\delta_\kappa(m,s)\, (-1)^{-a+b+K-n+r}\, X_{L_1}(mnab)\, Z_K(rwmv)\, Z_{L_1}(bans)\, \langle s||z||r\rangle}{(\varepsilon_{mn} - \varepsilon_{ab})\, (\varepsilon_{ns} - \varepsilon_{ab})\, (\varepsilon_{nrw} - \varepsilon_{abv})\, [L_1]\, [m]} +$$

$$\frac{1}{[v]} \sum_{abmnrs} \sum_{L_1 L_2 L_3} \frac{\delta_\kappa(n,v) \left\{ \begin{array}{ccc} L_2 & L_3 & L_1 \\ a & m & r \end{array} \right\} \left\{ \begin{array}{ccc} L_2 & s & v \\ b & L_1 & L_3 \end{array} \right\} X_{L_1}(mnab)\, X_{L_2}(rsmv)\, Z_{L_3}(abrs)\, \langle w||z||n\rangle}{(\varepsilon_{mn} - \varepsilon_{ab})\, (\varepsilon_{rs} - \varepsilon_{ab})\, (\varepsilon_{nrs} - \varepsilon_{abv})} +$$

$$\frac{1}{\sqrt{[v]}} \sum_{abmnrs} \sum_{L_1} \frac{\delta_\kappa(a,m)\,\delta_\kappa(n,v)\,(-1)^{a+b-r+s}\,X_{L_1}(rsbm)\,Z_0(mnav)\,Z_{L_1}(bars)\,\langle w||z||n\rangle}{(\varepsilon_{mn}-\varepsilon_{av})\,(\varepsilon_{rs}-\varepsilon_{ab})\,(\varepsilon_{nrs}-\varepsilon_{abv})\,\sqrt{[a]}\,[L_1]} +$$

$$\frac{1}{[v]} \sum_{abmnrs} \sum_{L_1 L_2} \frac{\delta_\kappa(r,v)\,(-1)^{a+b+L_2+m-n-s+v}\,Z_{L_1}(abns)\,Z_{L_1}(nmav)\,Z_{L_2}(srbm)\,\langle w||z||r\rangle}{(\varepsilon_{mn}-\varepsilon_{av})\,(\varepsilon_{ns}-\varepsilon_{ab})\,(\varepsilon_{nrs}-\varepsilon_{abv})\,[L_2]^2} +$$

$$\frac{1}{[v]} \sum_{abmnrs} \sum_{L_1 L_3} \frac{\delta_\kappa(m,s)\,\delta_\kappa(r,v)\,(-1)^{-a+b+L_3-n+v}\,X_{L_1}(mnab)\,Z_{L_1}(bans)\,Z_{L_3}(rsmv)\,\langle w||z||r\rangle}{(\varepsilon_{mn}-\varepsilon_{ab})\,(\varepsilon_{ns}-\varepsilon_{ab})\,(\varepsilon_{nrs}-\varepsilon_{abv})\,[L_1]\,[m]} +$$

$$\overline{h.c.s.}$$

2.3 $Z_{1\times 2}\left(T_v^p\right)$

$Z_{1\times 2}\left(T_v^p\right) =$

$$\sum_{abcdmn}\sum_{L_1L_2L_3}\frac{(-1)^{-b+K+L_2-v}\left\{\begin{matrix} L_1 & n & v \\ d & L_2 & L_3 \end{matrix}\right\}\left\{\begin{matrix} L_3 & L_1 & L_2 \\ a & c & m \end{matrix}\right\}\left\{\begin{matrix} v & L_2 & d \\ b & K & w \end{matrix}\right\} X_{L_1}(mnav)\, Z_{L_2}(awcb)\, Z_{L_3}(cdmn)}{(\varepsilon_{mn}-\varepsilon_{av})\,(\varepsilon_{mn}-\varepsilon_{cd})\,(\varepsilon_{mnw}-\varepsilon_{bcv})}$$

$$-\left(\frac{1}{[K]}\right)\sum_{abcdmn}\sum_{L_1L_3}\frac{\left\{\begin{matrix} L_3 & L_1 & K \\ a & c & m \end{matrix}\right\}\left\{\begin{matrix} L_3 & L_1 & K \\ b & d & n \end{matrix}\right\} X_{L_1}(mnab)\, Z_K(awcv)\, Z_{L_3}(cdmn)\,\langle b||z||d\rangle}{(\varepsilon_{mn}-\varepsilon_{ab})\,(\varepsilon_{mn}-\varepsilon_{cd})\,(\varepsilon_{mnw}-\varepsilon_{bcv})}+$$

$$\sum_{abcdmn}\sum_{L_1L_2}\frac{(-1)^{-a-b+c-d+K+L_1+L_2-m-n}\left\{\begin{matrix} d & L_2 & v \\ a & L_1 & m \end{matrix}\right\}\left\{\begin{matrix} v & w & K \\ b & d & L_2 \end{matrix}\right\} Z_{L_1}(cdnm)\, Z_{L_1}(nacv)\, Z_{L_2}(mwab)\,\langle b||z||d\rangle}{(\varepsilon_{mn}-\varepsilon_{cd})\,(\varepsilon_{mw}-\varepsilon_{ab})\,(\varepsilon_{mnw}-\varepsilon_{bcv})\,[L_1]}$$

$$-\left(\frac{1}{[K]}\right)\sum_{abcdmn}\sum_{L_1}\frac{(-1)^{-a-b+c-d+L_1+m-n}\left\{\begin{matrix} d & m & L_1 \\ a & b & K \end{matrix}\right\} Z_K(mwav)\, Z_{L_1}(anbc)\, Z_{L_1}(cdnm)\,\langle b||z||d\rangle}{(\varepsilon_{mn}-\varepsilon_{cd})\,(\varepsilon_{mw}-\varepsilon_{av})\,(\varepsilon_{mnw}-\varepsilon_{bcv})\,[L_1]}+$$

$$-\left(\frac{1}{[K]}\right)\sum_{abcmnr}\sum_{L_1}\frac{(-1)^{a+b+c+L_1-m-n-r}\left\{\begin{matrix} w & L_1 & n \\ a & K & v \end{matrix}\right\} Z_K(mnba)\, Z_{L_1}(cwrn)\, Z_{L_1}(racv)\,\langle b||z||m\rangle}{(\varepsilon_{mn}-\varepsilon_{ab})\,(\varepsilon_{nr}-\varepsilon_{cw})\,(\varepsilon_{mnr}-\varepsilon_{bcv})\,[L_1]}+$$

$$-\sum_{abcmnr}\sum_{L_1L_3}\frac{(-1)^{c+L_3-r+v+w}\left\{\begin{matrix} K & L_3 & L_1 \\ a & b & m \end{matrix}\right\}\left\{\begin{matrix} n & v & L_3 \\ K & L_1 & w \end{matrix}\right\} Z_{L_1}(arbc)\, Z_{L_1}(cwrn)\, Z_{L_3}(mnav)\,\langle b||z||m\rangle}{(\varepsilon_{mn}-\varepsilon_{av})\,(\varepsilon_{nr}-\varepsilon_{cw})\,(\varepsilon_{mnr}-\varepsilon_{bcv})\,[L_1]}+$$

$$-\left(\frac{1}{[K]}\right)\sum_{abcmnr}\sum_{L_1L_3}\frac{(-1)^{b-r-v-w}\left\{\begin{matrix} L_3 & L_1 & K \\ a & c & m \end{matrix}\right\}\left\{\begin{matrix} w & n & L_3 \\ L_1 & K & v \end{matrix}\right\} X_{L_1}(mnav)\, Z_K(arcb)\, Z_{L_3}(cwmn)\,\langle b||z||r\rangle}{(\varepsilon_{mn}-\varepsilon_{av})\,(\varepsilon_{mn}-\varepsilon_{cw})\,(\varepsilon_{mnr}-\varepsilon_{bcv})}+$$

$$\sum_{abcmnr}\sum_{L_1L_2L_3}\frac{(-1)^{K+L_2-r+w}\left\{\begin{matrix} L_2 & w & b \\ K & r & v \end{matrix}\right\}\left\{\begin{matrix} L_3 & L_1 & L_2 \\ a & c & m \end{matrix}\right\}\left\{\begin{matrix} L_3 & w & n \\ b & L_1 & L_2 \end{matrix}\right\} X_{L_1}(mnab)\, Z_{L_2}(arcv)\, Z_{L_3}(cwmn)}{(\varepsilon_{mn}-\varepsilon_{ab})\,(\varepsilon_{mn}-\varepsilon_{cw})\,(\varepsilon_{mnr}-\varepsilon_{bcv})}$$

$$\frac{1}{[K]}\sum_{abcdmn}\sum_{L_1}\frac{\delta_\kappa(a,d)\,(-1)^{b+c+K+m-n}\,X_{L_1}(mnab)\,Z_K(awcv)\,Z_{L_1}(bdnm)\,\langle c||z||d\rangle}{(\varepsilon_{mn}-\varepsilon_{ab})\,(\varepsilon_{mn}-\varepsilon_{bd})\,(\varepsilon_{mnw}-\varepsilon_{bcv})\,[a]\,[L_1]}+$$

$$-\sum_{abcdmn}\sum_{L_1L_3}\frac{(-1)^{b+K+L_1-m+v-w}\left\{\begin{array}{ccc}K & L_1 & L_3\\ a & v & w\end{array}\right\}\left\{\begin{array}{ccc}L_1 & L_3 & K\\ c & d & n\end{array}\right\}Z_{L_1}(bdmn)\,Z_{L_1}(mwba)\,Z_{L_3}(nacv)\,\langle c||z||d\rangle}{(\varepsilon_{mn}-\varepsilon_{bd})\,(\varepsilon_{mw}-\varepsilon_{ab})\,(\varepsilon_{mnw}-\varepsilon_{bcv})\,[L_1]}+$$

$$-\sum_{abcmnr}\sum_{L_1L_2}\frac{(-1)^{b+K+L_2-n+v+w}\left\{\begin{array}{ccc}K & L_2 & L_1\\ a & c & m\end{array}\right\}\left\{\begin{array}{ccc}r & w & L_2\\ K & L_1 & v\end{array}\right\}Z_{L_1}(arcv)\,Z_{L_2}(bwnr)\,Z_{L_2}(mnab)\,\langle c||z||m\rangle}{(\varepsilon_{mn}-\varepsilon_{ab})\,(\varepsilon_{nr}-\varepsilon_{bw})\,(\varepsilon_{mnr}-\varepsilon_{bcv})\,[L_2]}+$$

$$-\left(\frac{1}{[K]\,[w]}\right)\sum_{abcmnr}\sum_{L_1}\frac{\delta_\kappa(a,w)\,(-1)^{b+c+K+m-n-r+w}\,X_{L_1}(mnab)\,Z_K(arvc)\,Z_{L_1}(bwnm)\,\langle c||z||r\rangle}{(\varepsilon_{mn}-\varepsilon_{ab})\,(\varepsilon_{mn}-\varepsilon_{bw})\,(\varepsilon_{mnr}-\varepsilon_{bcv})\,[L_1]}+$$

$$\frac{1}{[K]}\sum_{abcmnr}\sum_{L_2}\frac{(-1)^{-a+b-c+L_2+m-n-r}\left\{\begin{array}{ccc}r & m & K\\ a & c & L_2\end{array}\right\}Z_K(awcv)\,Z_{L_2}(bcnr)\,Z_{L_2}(mnab)\,\langle r||z||m\rangle}{(\varepsilon_{mn}-\varepsilon_{ab})\,(\varepsilon_{nr}-\varepsilon_{bc})\,(\varepsilon_{mnw}-\varepsilon_{bcv})\,[L_2]}+$$

$$\sum_{abcmnr}\sum_{L_1L_2L_3}\frac{(-1)^{K+L_3-m+w}\left\{\begin{array}{ccc}L_2 & L_3 & L_1\\ a & b & n\end{array}\right\}\left\{\begin{array}{ccc}L_3 & r & w\\ c & L_1 & L_2\end{array}\right\}\left\{\begin{array}{ccc}L_3 & w & r\\ K & m & v\end{array}\right\}X_{L_1}(awbc)\,Z_{L_2}(cbrn)\,Z_{L_3}(nmav)}{(\varepsilon_{mn}-\varepsilon_{av})\,(\varepsilon_{nr}-\varepsilon_{bc})\,(\varepsilon_{mnw}-\varepsilon_{bcv})}$$

$$\sum_{abcmnr}\sum_{L_1L_2}\frac{(-1)^{c+K+L_1-n+v-w}\left\{\begin{array}{ccc}K & L_2 & L_1\\ a & v & w\end{array}\right\}\left\{\begin{array}{ccc}K & r & m\\ b & L_2 & L_1\end{array}\right\}Z_{L_1}(cbnr)\,Z_{L_1}(nacv)\,Z_{L_2}(mwba)\,\langle r||z||m\rangle}{(\varepsilon_{mw}-\varepsilon_{ab})\,(\varepsilon_{nr}-\varepsilon_{bc})\,(\varepsilon_{mnw}-\varepsilon_{bcv})\,[L_1]}+$$

$$\frac{1}{[K]}\sum_{abcmnr}\sum_{L_1}\frac{\delta_\kappa(a,r)\,(-1)^{-b+c+K+m-n}\,X_{L_1}(anbc)\,Z_K(mwav)\,Z_{L_1}(cbnr)\,\langle r||z||m\rangle}{(\varepsilon_{mw}-\varepsilon_{av})\,(\varepsilon_{nr}-\varepsilon_{bc})\,(\varepsilon_{mnw}-\varepsilon_{bcv})\,[a]\,[L_1]}+$$

$$\sum_{abcmnr}\sum_{L_1L_2}\frac{(-1)^{-a+b-c+K+L_1+L_2-m-n+r}\left\{\begin{array}{ccc}L_1 & w & r\\ K & n & v\end{array}\right\}\left\{\begin{array}{ccc}r & w & L_1\\ a & c & L_2\end{array}\right\}Z_{L_1}(ancv)\,Z_{L_2}(bcmr)\,Z_{L_2}(mwba)\,\langle r||z||n\rangle}{(\varepsilon_{mr}-\varepsilon_{bc})\,(\varepsilon_{mw}-\varepsilon_{ab})\,(\varepsilon_{mnw}-\varepsilon_{bcv})\,[L_2]}$$

$$\frac{1}{[K]}\sum_{abcmnr}\sum_{L_1L_2}\frac{\left\{\begin{array}{ccc}K & r & n\\ c & L_1 & L_2\end{array}\right\}\left\{\begin{array}{ccc}L_2 & K & L_1\\ a & b & m\end{array}\right\}X_{L_1}(anbc)\,Z_K(mwav)\,Z_{L_2}(bcmr)\,\langle r||z||n\rangle}{(\varepsilon_{mr}-\varepsilon_{bc})\,(\varepsilon_{mw}-\varepsilon_{av})\,(\varepsilon_{mnw}-\varepsilon_{bcv})}+$$

$$-\left(\frac{1}{[v]}\right)\sum_{abcmnr}\sum_{L_1L_2}\frac{\delta_\kappa(m,v)\,(-1)^{-a+b+c+L_2-n-r-v}\,Z_{L_1}(bcnr)\,Z_{L_1}(mnab)\,Z_{L_2}(racv)\,\langle w||z||m\rangle}{(\varepsilon_{mn}-\varepsilon_{ab})\,(\varepsilon_{nr}-\varepsilon_{bc})\,(\varepsilon_{mnr}-\varepsilon_{bcv})\,[L_2]^2}+$$

$$-\left(\frac{1}{[v]}\right)\sum_{abcmnr}\sum_{L_1L_3}\frac{\delta_\kappa(a,n)\,\delta_\kappa(m,v)\,(-1)^{-b+c+L_3-r+v}\,X_{L_1}(arbc)\,Z_{L_1}(bcnr)\,Z_{L_3}(mnav)\,\langle w||z||m\rangle}{(\varepsilon_{mn}-\varepsilon_{av})\,(\varepsilon_{nr}-\varepsilon_{bc})\,(\varepsilon_{mnr}-\varepsilon_{bcv})\,[a]\,[L_1]}+$$

$$-\left(\frac{1}{[v]}\right)\sum_{abcmnr}\sum_{L_1L_2L_3}\frac{\delta_\kappa(r,v)\left\{\begin{array}{ccc}L_2 & n & v\\ c & L_1 & L_3\end{array}\right\}\left\{\begin{array}{ccc}L_3 & L_2 & L_1\\ a & b & m\end{array}\right\}X_{L_1}(arbc)\,X_{L_2}(mnav)\,Z_{L_3}(bcmn)\,\langle w||z||r\rangle}{(\varepsilon_{mn}-\varepsilon_{av})\,(\varepsilon_{mn}-\varepsilon_{bc})\,(\varepsilon_{mnr}-\varepsilon_{bcv})}+$$

$$-\frac{1}{\sqrt{[v]}}\sum_{abcmnr}\sum_{L_1}\frac{\delta_\kappa(a,c)\,\delta_\kappa(r,v)\,(-1)^{a+b+m-n}\,X_{L_1}(mnab)\,Z_0(arcv)\,Z_{L_1}(bcnm)\,\langle w||z||r\rangle}{(\varepsilon_{mn}-\varepsilon_{ab})\,(\varepsilon_{mn}-\varepsilon_{bc})\,(\varepsilon_{mnr}-\varepsilon_{bcv})\,\sqrt{[a]}\,[L_1]}+$$

$\overline{h.c.s.}$

2.4 $Z_{0\times 3}\left(S_v[T_v]\right)$

$Z_{0\times 3}\left(S_v[T_v]\right) =$

$$\frac{1}{[v]} \sum_{abmnrs} \sum_{L_1 L_2 L_3} \frac{\delta_\kappa(n,v) \left\{ \begin{array}{ccc} L_2 & L_3 & L_1 \\ a & m & r \end{array} \right\} \left\{ \begin{array}{ccc} L_2 & s & v \\ b & L_1 & L_3 \end{array} \right\} X_{L_1}(mnab)\, X_{L_2}(rsmv)\, Z_{L_3}(abrs)\, \langle w||z||n\rangle}{\left(\varepsilon_n - \varepsilon_v\right)\, \left(\varepsilon_{mn} - \varepsilon_{ab}\right) \left(\varepsilon_{nrs} - \varepsilon_{abv}\right)} +$$

$$-\left(\frac{1}{[v]}\right) \sum_{abcmnr} \sum_{L_1 L_2} \frac{\delta_\kappa(n,v)\, (-1)^{-a+b+c+L_2-m-r-v}\, Z_{L_1}(bcmr)\, Z_{L_1}(mnba)\, Z_{L_2}(racv)\, \langle w||z||n\rangle}{\left(\varepsilon_n - \varepsilon_v\right)\, \left(\varepsilon_{mn} - \varepsilon_{ab}\right) \left(\varepsilon_{mnr} - \varepsilon_{bcv}\right) [L_2]^2} +$$

$$\frac{1}{\sqrt{[v]}} \sum_{abmnrs} \sum_{L_1} \frac{\delta_\kappa(a,m)\, \delta_\kappa(n,v)\, (-1)^{a+b-r+s}\, X_{L_1}(rsbm)\, Z_0(mnav)\, Z_{L_1}(bars)\, \langle w||z||n\rangle}{\left(\varepsilon_n - \varepsilon_v\right)\, \left(\varepsilon_{mn} - \varepsilon_{av}\right) \left(\varepsilon_{nrs} - \varepsilon_{abv}\right) \sqrt{[a]}\, [L_1]} +$$

$$-\frac{1}{\sqrt{[v]}} \sum_{abcmnr} \sum_{L_1} \frac{\delta_\kappa(a,m)\, \delta_\kappa(n,v)\, (-1)^{-a-b+c-r}\, X_{L_1}(arbc)\, Z_0(mnav)\, Z_{L_1}(bcmr)\, \langle w||z||n\rangle}{\left(\varepsilon_n - \varepsilon_v\right)\, \left(\varepsilon_{mn} - \varepsilon_{av}\right) \left(\varepsilon_{mnr} - \varepsilon_{bcv}\right) \sqrt{[a]}\, [L_1]} +$$

$$-\left(\frac{1}{[v]}\right) \sum_{abcmnr} \sum_{L_1 L_2 L_3} \frac{\delta_\kappa(r,v) \left\{ \begin{array}{ccc} L_2 & n & v \\ c & L_1 & L_3 \end{array} \right\} \left\{ \begin{array}{ccc} L_3 & L_2 & L_1 \\ a & b & m \end{array} \right\} X_{L_1}(arbc)\, X_{L_2}(mnav)\, Z_{L_3}(bcmn)\, \langle w||z||r\rangle}{\left(\varepsilon_r - \varepsilon_v\right)\, \left(\varepsilon_{mn} - \varepsilon_{av}\right) \left(\varepsilon_{mnr} - \varepsilon_{bcv}\right)} +$$

$$-\frac{1}{\sqrt{[v]}} \sum_{abcmnr} \sum_{L_1} \frac{\delta_\kappa(a,c)\, \delta_\kappa(r,v)\, (-1)^{a+b+m-n}\, X_{L_1}(mnab)\, Z_0(arcv)\, Z_{L_1}(bcnm)\, \langle w||z||r\rangle}{\left(\varepsilon_r - \varepsilon_v\right)\, \left(\varepsilon_{mn} - \varepsilon_{ab}\right) \left(\varepsilon_{mnr} - \varepsilon_{bcv}\right) \sqrt{[a]}\, [L_1]} +$$

$$\frac{1}{[v]} \sum_{abmnrs} \sum_{L_1 L_2} \frac{\delta_\kappa(s,v)\, (-1)^{a+b+L_2+m-n-r+v}\, Z_{L_1}(abnr)\, Z_{L_1}(nmav)\, Z_{L_2}(rsbm)\, \langle w||z||s\rangle}{\left(\varepsilon_s - \varepsilon_v\right)\, \left(\varepsilon_{mn} - \varepsilon_{av}\right) \left(\varepsilon_{nrs} - \varepsilon_{abv}\right) [L_2]^2} +$$

$$\frac{1}{\sqrt{[v]}} \sum_{abmnrs} \sum_{L_1} \frac{\delta_\kappa(m,r)\, \delta_\kappa(s,v)\, (-1)^{-a+b-m-n}\, X_{L_1}(mnab)\, Z_0(rsmv)\, Z_{L_1}(banr)\, \langle w||z||s\rangle}{\left(\varepsilon_s - \varepsilon_v\right)\, \left(\varepsilon_{mn} - \varepsilon_{ab}\right) \left(\varepsilon_{nrs} - \varepsilon_{abv}\right) [L_1]\, \sqrt{[m]}} +$$

$$\overline{h.c.s.}$$

2.5 $Z_{0\times 3}\left(S_c[T_c]\right)$

$Z_{0\times 3}\left(S_c[T_c]\right) =$

$$\frac{1}{[w]} \sum_{abcdmn} \sum_{L_1 L_2 L_3} \frac{\delta_\kappa(b,w) \left\{\begin{array}{ccc} L_2 & n & w \\ d & L_1 & L_3 \end{array}\right\} \left\{\begin{array}{ccc} L_3 & L_2 & L_1 \\ a & c & m \end{array}\right\} X_{L_1}(awcd)\, X_{L_2}(mnab)\, Z_{L_3}(cdmn)\, \langle b||z||v\rangle}{\left(\varepsilon_w - \varepsilon_b\right)\left(\varepsilon_{mn} - \varepsilon_{ab}\right)\left(\varepsilon_{mnw} - \varepsilon_{bcd}\right)} +$$

$$-\frac{1}{\sqrt{[w]}} \sum_{abcmnr} \sum_{L_1} \frac{\delta_\kappa(a,m)\, \delta_\kappa(b,w)\, (-1)^{a+c-n+r}\, X_{L_1}(nrcm)\, Z_0(mwab)\, Z_{L_1}(canr)\, \langle b||z||v\rangle}{\left(\varepsilon_w - \varepsilon_b\right)\left(\varepsilon_{mw} - \varepsilon_{ab}\right)\left(\varepsilon_{nrw} - \varepsilon_{abc}\right)\sqrt{[a]}\,[L_1]} +$$

$$\frac{1}{\sqrt{[w]}} \sum_{abcdmn} \sum_{L_1} \frac{\delta_\kappa(a,m)\, \delta_\kappa(b,w)\, (-1)^{-a-c+d-n}\, X_{L_1}(ancd)\, Z_0(mwab)\, Z_{L_1}(cdmn)\, \langle b||z||v\rangle}{\left(\varepsilon_w - \varepsilon_b\right)\left(\varepsilon_{mw} - \varepsilon_{ab}\right)\left(\varepsilon_{mnw} - \varepsilon_{bcd}\right)\sqrt{[a]}\,[L_1]} +$$

$$-\left(\frac{1}{[w]}\right) \sum_{abcmnr} \sum_{L_1 L_2} \frac{\delta_\kappa(b,w)\, (-1)^{a+c+L_2+m-n-r+w}\, Z_{L_1}(acnr)\, Z_{L_1}(nmab)\, Z_{L_2}(rwcm)\, \langle b||z||v\rangle}{\left(\varepsilon_w - \varepsilon_b\right)\left(\varepsilon_{mn} - \varepsilon_{ab}\right)\left(\varepsilon_{nrw} - \varepsilon_{abc}\right)[L_2]^2} +$$

$$-\left(\frac{1}{[w]}\right) \sum_{abcmnr} \sum_{L_1 L_2 L_3} \frac{\delta_\kappa(c,w) \left\{\begin{array}{ccc} L_2 & L_3 & L_1 \\ a & m & r \end{array}\right\} \left\{\begin{array}{ccc} L_2 & n & w \\ b & L_1 & L_3 \end{array}\right\} X_{L_1}(mwab)\, X_{L_2}(nrcm)\, Z_{L_3}(banr)\, \langle c||z||v\rangle}{\left(\varepsilon_w - \varepsilon_c\right)\left(\varepsilon_{mw} - \varepsilon_{ab}\right)\left(\varepsilon_{nrw} - \varepsilon_{abc}\right)} +$$

$$-\left(\frac{1}{[w]}\right) \sum_{abcmnr} \sum_{L_1 L_3} \frac{\delta_\kappa(c,w)\, \delta_\kappa(m,r)\, (-1)^{-a+b+L_3-n+w}\, X_{L_1}(mnab)\, Z_{L_1}(banr)\, Z_{L_3}(rwcm)\, \langle c||z||v\rangle}{\left(\varepsilon_w - \varepsilon_c\right)\left(\varepsilon_{mn} - \varepsilon_{ab}\right)\left(\varepsilon_{nrw} - \varepsilon_{abc}\right)[L_1]\,[m]} +$$

$$\frac{1}{\sqrt{[w]}} \sum_{abcdmn} \sum_{L_1} \frac{\delta_\kappa(a,c)\, \delta_\kappa(d,w)\, (-1)^{a+b+m-n}\, X_{L_1}(mnab)\, Z_0(awcd)\, Z_{L_1}(bcnm)\, \langle d||z||v\rangle}{\left(\varepsilon_w - \varepsilon_d\right)\left(\varepsilon_{mn} - \varepsilon_{ab}\right)\left(\varepsilon_{mnw} - \varepsilon_{bcd}\right)\sqrt{[a]}\,[L_1]} +$$

$$\frac{1}{[w]} \sum_{abcdmn} \sum_{L_1 L_2} \frac{\delta_\kappa(d,w)\, (-1)^{-a+b+c+L_2-m-n-w}\, Z_{L_1}(bcmn)\, Z_{L_1}(mwba)\, Z_{L_2}(nacd)\, \langle d||z||v\rangle}{\left(\varepsilon_w - \varepsilon_d\right)\left(\varepsilon_{mw} - \varepsilon_{ab}\right)\left(\varepsilon_{mnw} - \varepsilon_{bcd}\right)[L_2]^2} +$$

$\overline{h.c.s.}$

2.6 $Z_{0\times 3}\left(D_v[T_c]\right)$

$$Z_{0\times 3}\left(D_v[T_c]\right) =$$

$$\frac{1}{[K]\,[v]}\sum_{abcdmn}\sum_{L_1}\frac{\delta_\kappa(a,v)\,(-1)^{b-c+d+K-m-n-v}\,X_{L_1}(ancd)\,Z_K(mwba)\,Z_{L_1}(dcnv)\,\langle b||z||m\rangle}{(\varepsilon_{mw}-\varepsilon_{ab})\,(\varepsilon_{mw}-\varepsilon_{bv})\,(\varepsilon_{mnw}-\varepsilon_{bcd})\,[L_1]}+$$

$$\frac{1}{[K]}\sum_{abcdmn}\sum_{L_1L_2}\frac{(-1)^{b-n-v-w}\left\{\begin{array}{ccc}K & v & w\\ d & L_1 & L_2\end{array}\right\}\left\{\begin{array}{ccc}L_2 & K & L_1\\ a & c & m\end{array}\right\}X_{L_1}(awcd)\,Z_K(mnab)\,Z_{L_2}(cdmv)\,\langle b||z||n\rangle}{(\varepsilon_{mn}-\varepsilon_{ab})\,(\varepsilon_{nw}-\varepsilon_{bv})\,(\varepsilon_{mnw}-\varepsilon_{bcd})}+$$

$$\sum_{abcdmn}\sum_{L_1L_2L_3}\frac{(-1)^{-b+K+L_3-v}\left\{\begin{array}{ccc}L_2 & L_3 & L_1\\ a & c & m\end{array}\right\}\left\{\begin{array}{ccc}L_3 & v & n\\ d & L_1 & L_2\end{array}\right\}\left\{\begin{array}{ccc}v & L_3 & n\\ b & K & w\end{array}\right\}X_{L_1}(ancd)\,Z_{L_2}(cdmv)\,Z_{L_3}(mwab}{(\varepsilon_{mw}-\varepsilon_{ab})\,(\varepsilon_{nw}-\varepsilon_{bv})\,(\varepsilon_{mnw}-\varepsilon_{bcd})}$$

$$-\left(\frac{1}{[K]}\right)\sum_{abcmnr}\sum_{L_1}\frac{(-1)^{a+b+c+L_1-m-n-r}\left\{\begin{array}{ccc}w & L_1 & m\\ a & K & v\end{array}\right\}Z_K(mnab)\,Z_{L_1}(carv)\,Z_{L_1}(rwcm)\,\langle b||z||n\rangle}{(\varepsilon_{mn}-\varepsilon_{ab})\,(\varepsilon_{nw}-\varepsilon_{bv})\,(\varepsilon_{nrw}-\varepsilon_{abc})\,[L_1]}+$$

$$\sum_{abcmnr}\sum_{L_1L_2}\frac{(-1)^{-a-b+c+K+L_1+L_2-m-n+r}\left\{\begin{array}{ccc}r & L_2 & v\\ a & L_1 & m\end{array}\right\}\left\{\begin{array}{ccc}v & L_2 & r\\ b & K & w\end{array}\right\}Z_{L_1}(canv)\,Z_{L_1}(nrcm)\,Z_{L_2}(mwab)\,\langle b||z||r\rangle}{(\varepsilon_{mw}-\varepsilon_{ab})\,(\varepsilon_{rw}-\varepsilon_{bv})\,(\varepsilon_{nrw}-\varepsilon_{abc})\,[L_1]}$$

$$-\sum_{abcmnr}\sum_{L_1L_3}\frac{(-1)^{a+K+L_1-n-v-w}\left\{\begin{array}{ccc}K & w & v\\ c & L_1 & L_3\end{array}\right\}\left\{\begin{array}{ccc}L_3 & K & L_1\\ b & m & r\end{array}\right\}Z_{L_1}(acnv)\,Z_{L_1}(nmab)\,Z_{L_3}(wrcm)\,\langle b||z||r\rangle}{(\varepsilon_{mn}-\varepsilon_{ab})\,(\varepsilon_{rw}-\varepsilon_{bv})\,(\varepsilon_{nrw}-\varepsilon_{abc})\,[L_1]}+$$

$$-\sum_{abcmnr}\sum_{L_1L_2L_3}\frac{(-1)^{-c+K+L_3-v}\left\{\begin{array}{ccc}L_3 & L_2 & L_1\\ a & m & r\end{array}\right\}\left\{\begin{array}{ccc}L_3 & v & n\\ b & L_1 & L_2\end{array}\right\}\left\{\begin{array}{ccc}v & L_3 & n\\ c & K & w\end{array}\right\}X_{L_1}(mnab)\,Z_{L_2}(bavr)\,Z_{L_3}(rwm}{(\varepsilon_{mn}-\varepsilon_{ab})\,(\varepsilon_{nw}-\varepsilon_{cv})\,(\varepsilon_{nrw}-\varepsilon_{abc})}$$

$$-\left(\frac{1}{[K]}\right)\sum_{abcmnr}\sum_{L_1L_2}\frac{(-1)^{c-r-v-w}\left\{\begin{array}{ccc}K & L_2 & L_1\\ a & m & n\end{array}\right\}\left\{\begin{array}{ccc}K & v & w\\ b & L_1 & L_2\end{array}\right\}X_{L_1}(mwab)\,Z_K(nrmc)\,Z_{L_2}(abnv)\,\langle c||z||r\rangle}{(\varepsilon_{mw}-\varepsilon_{ab})\,(\varepsilon_{rw}-\varepsilon_{cv})\,(\varepsilon_{nrw}-\varepsilon_{abc})}+$$

$$-\left(\frac{1}{[K]\,[v]}\right)\sum_{abcmnr}\sum_{L_1}\frac{\delta_{\kappa}(m,v)\,(-1)^{-a+b+c+K-n-r-v}\,X_{L_1}(mnab)\,Z_K(rwcm)\,Z_{L_1}(banv)\,\langle c||z||r\rangle}{(\varepsilon_{mn}-\varepsilon_{ab})\,(\varepsilon_{rw}-\varepsilon_{cv})\,(\varepsilon_{nrw}-\varepsilon_{abc})\,[L_1]}+$$

$$\sum_{abcdmn}\sum_{L_1L_2}\frac{(-1)^{c+K+L_1-n-v-w}\left\{\begin{array}{ccc}K & L_2 & L_1\\ a & d & m\end{array}\right\}\left\{\begin{array}{ccc}K & v & w\\ b & L_2 & L_1\end{array}\right\}Z_{L_1}(cbnv)\,Z_{L_1}(nacd)\,Z_{L_2}(mwab)\,\langle d||z||m\rangle}{(\varepsilon_{mw}-\varepsilon_{ab})\,(\varepsilon_{mw}-\varepsilon_{dv})\,(\varepsilon_{mnw}-\varepsilon_{bcd})\,[L_1]}+$$

$$-\sum_{abcdmn}\sum_{L_1L_2}\frac{(-1)^{-a+b-c-d+K+L_1+L_2-m+n}\left\{\begin{array}{ccc}v & L_1 & n\\ d & K & w\end{array}\right\}\left\{\begin{array}{ccc}v & n & L_1\\ a & c & L_2\end{array}\right\}Z_{L_1}(awcd)\,Z_{L_2}(bcmv)\,Z_{L_2}(mnba)\,\langle d||z||n}{(\varepsilon_{mn}-\varepsilon_{ab})\,(\varepsilon_{nw}-\varepsilon_{dv})\,(\varepsilon_{mnw}-\varepsilon_{bcd})\,[L_2]}$$

$$-\left(\frac{1}{[K]}\right)\sum_{abcdmn}\sum_{L_2}\frac{(-1)^{-a+b-c+d+L_2-m-n}\left\{\begin{array}{ccc}v & w & K\\ a & c & L_2\end{array}\right\}Z_K(ancd)\,Z_{L_2}(bcmv)\,Z_{L_2}(mwba)\,\langle d||z||n\rangle}{(\varepsilon_{mw}-\varepsilon_{ab})\,(\varepsilon_{nw}-\varepsilon_{dv})\,(\varepsilon_{mnw}-\varepsilon_{bcd})\,[L_2]}.+$$

$\overline{h.c.s.}$

2.7 $Z_{0\times 3}\left(D_v[T_v^h]\right)$

$Z_{0\times 3}\left(D_v[T_v^h]\right) =$

$$-\left(\frac{1}{[K]}\right)\sum_{abcmnr}\sum_{L_1}\frac{(-1)^{a+b+c+L_1-m-n-r}\left\{\begin{array}{ccc} w & L_1 & m \\ a & K & v \end{array}\right\} Z_K(mnab)\, Z_{L_1}(cwrm)\, Z_{L_1}(racv)\, \langle b||z||n\rangle}{(\varepsilon_{mn}-\varepsilon_{ab})\,(\varepsilon_{nw}-\varepsilon_{bv})\,(\varepsilon_{mnr}-\varepsilon_{bcv})\,[L_1]} +$$

$$\frac{1}{[K]}\sum_{abcmnr}\sum_{L_1 L_3}\frac{\left\{\begin{array}{ccc} L_3 & L_1 & K \\ a & c & m \end{array}\right\}\left\{\begin{array}{ccc} L_3 & r & n \\ b & L_1 & K \end{array}\right\} X_{L_1}(mnab)\, Z_K(awcv)\, Z_{L_3}(crmn)\, \langle b||z||r\rangle}{(\varepsilon_{mn}-\varepsilon_{ab})\,(\varepsilon_{rw}-\varepsilon_{bv})\,(\varepsilon_{mnw}-\varepsilon_{bcv})} +$$

$$\sum_{abcmnr}\sum_{L_1 L_2 L_3}\frac{(-1)^{K+L_2-r+w}\left\{\begin{array}{ccc} L_2 & w & b \\ K & r & v \end{array}\right\}\left\{\begin{array}{ccc} L_3 & L_1 & L_2 \\ a & c & m \end{array}\right\}\left\{\begin{array}{ccc} L_3 & w & n \\ b & L_1 & L_2 \end{array}\right\} X_{L_1}(mnab)\, Z_{L_2}(arcv)\, Z_{L_3}(cwmn)}{(\varepsilon_{mn}-\varepsilon_{ab})\,(\varepsilon_{rw}-\varepsilon_{bv})\,(\varepsilon_{mnr}-\varepsilon_{bcv})}$$

$$\sum_{abcmnr}\sum_{L_1 L_2}\frac{(-1)^{-a-b+c+K+L_1+L_2-m-n+r}\left\{\begin{array}{ccc} r & L_2 & v \\ a & L_1 & m \end{array}\right\}\left\{\begin{array}{ccc} v & L_2 & r \\ b & K & w \end{array}\right\} Z_{L_1}(crnm)\, Z_{L_1}(nacv)\, Z_{L_2}(mwab)\, \langle b||z||r\rangle}{(\varepsilon_{mw}-\varepsilon_{ab})\,(\varepsilon_{rw}-\varepsilon_{bv})\,(\varepsilon_{mnw}-\varepsilon_{bcv})\,[L_1]}$$

$$-\sum_{abcmnr}\sum_{L_1 L_2}\frac{(-1)^{b+K+L_2-m+v+w}\left\{\begin{array}{ccc} K & L_2 & L_1 \\ a & c & n \end{array}\right\}\left\{\begin{array}{ccc} r & w & L_2 \\ K & L_1 & v \end{array}\right\} Z_{L_1}(arcv)\, Z_{L_2}(bwmr)\, Z_{L_2}(mnba)\, \langle c||z||n\rangle}{(\varepsilon_{mn}-\varepsilon_{ab})\,(\varepsilon_{nw}-\varepsilon_{cv})\,(\varepsilon_{mnr}-\varepsilon_{bcv})\,[L_2]} +$$

$$\sum_{abcmnr}\sum_{L_1 L_2}\frac{(-1)^{-a+b-c+K+L_1+L_2-m+n-r}\left\{\begin{array}{ccc} v & L_2 & n \\ c & K & w \end{array}\right\}\left\{\begin{array}{ccc} w & L_2 & c \\ a & L_1 & m \end{array}\right\} Z_{L_1}(bwrm)\, Z_{L_1}(rabc)\, Z_{L_2}(mnav)\, \langle c||z||n\rangle}{(\varepsilon_{mn}-\varepsilon_{av})\,(\varepsilon_{nw}-\varepsilon_{cv})\,(\varepsilon_{mnr}-\varepsilon_{bcv})\,[L_1]}$$

$$\sum_{abcmnr}\sum_{L_1 L_2 L_3}\frac{(-1)^{-c+K+L_2+v}\left\{\begin{array}{ccc} L_3 & L_1 & L_2 \\ a & b & m \end{array}\right\}\left\{\begin{array}{ccc} r & n & L_3 \\ L_1 & L_2 & v \end{array}\right\}\left\{\begin{array}{ccc} v & L_2 & r \\ c & K & w \end{array}\right\} X_{L_1}(mnav)\, Z_{L_2}(awbc)\, Z_{L_3}(brmn}{(\varepsilon_{mn}-\varepsilon_{av})\,(\varepsilon_{rw}-\varepsilon_{cv})\,(\varepsilon_{mnw}-\varepsilon_{bcv})}$$

$$-\left(\frac{1}{[K]}\right)\sum_{abcmnr}\sum_{L_1}\frac{\delta_{\kappa}(a,r)\,(-1)^{b+c+K+m-n}\, X_{L_1}(mnab)\, Z_K(awcv)\, Z_{L_1}(brnm)\, \langle c||z||r\rangle}{(\varepsilon_{mn}-\varepsilon_{ab})\,(\varepsilon_{rw}-\varepsilon_{cv})\,(\varepsilon_{mnw}-\varepsilon_{bcv})\,[a]\,[L_1]} +$$

$$-\left(\frac{1}{[K]}\right)\sum_{abcmnr}\sum_{L_1 L_3}\frac{(-1)^{c-r-v-w}\left\{\begin{array}{ccc} L_3 & L_1 & K \\ a & b & m \end{array}\right\}\left\{\begin{array}{ccc} w & n & L_3 \\ L_1 & K & v \end{array}\right\} X_{L_1}(mnav)\, Z_K(arbc)\, Z_{L_3}(bwmn)\, \langle c||z||r\rangle}{(\varepsilon_{mn}-\varepsilon_{av})\,(\varepsilon_{rw}-\varepsilon_{cv})\,(\varepsilon_{mnr}-\varepsilon_{bcv})}+$$

$$-\left(\frac{1}{[K]\,[w]}\right)\sum_{abcmnr}\sum_{L_1}\frac{\delta_\kappa(a,w)\,(-1)^{b+c+K+m-n-r+w}\, X_{L_1}(mnab)\, Z_K(arvc)\, Z_{L_1}(bwnm)\, \langle c||z||r\rangle}{(\varepsilon_{mn}-\varepsilon_{ab})\,(\varepsilon_{rw}-\varepsilon_{cv})\,(\varepsilon_{mnr}-\varepsilon_{bcv})\,[L_1]}+$$

$$\sum_{abcmnr}\sum_{L_1 L_3}\frac{(-1)^{b+K+L_1-m+v-w}\left\{\begin{array}{ccc} K & L_1 & L_3 \\ a & v & w \end{array}\right\}\left\{\begin{array}{ccc} L_1 & n & r \\ c & K & L_3 \end{array}\right\} Z_{L_1}(brmn)\, Z_{L_1}(mwba)\, Z_{L_3}(nacv)\, \langle c||z||r\rangle}{(\varepsilon_{mw}-\varepsilon_{ab})\,(\varepsilon_{rw}-\varepsilon_{cv})\,(\varepsilon_{mnw}-\varepsilon_{bcv})\,[L_1]}+$$

$$\frac{1}{[K]}\sum_{abcmnr}\sum_{L_1}\frac{(-1)^{-a+b-c+L_1+m-n-r}\left\{\begin{array}{ccc} r & m & L_1 \\ a & c & K \end{array}\right\} Z_K(mwav)\, Z_{L_1}(brnm)\, Z_{L_1}(nabc)\, \langle c||z||r\rangle}{(\varepsilon_{mw}-\varepsilon_{av})\,(\varepsilon_{rw}-\varepsilon_{cv})\,(\varepsilon_{mnw}-\varepsilon_{bcv})\,[L_1]}+$$

$$-\sum_{abcdmn}\sum_{L_1 L_3}\frac{(-1)^{c+K+L_1-n+v-w}\left\{\begin{array}{ccc} K & L_3 & L_1 \\ a & v & w \end{array}\right\}\left\{\begin{array}{ccc} K & L_3 & L_1 \\ b & d & m \end{array}\right\} Z_{L_1}(anvc)\, Z_{L_1}(bcdn)\, Z_{L_3}(mwba)\, \langle d||z||m\rangle}{(\varepsilon_{mw}-\varepsilon_{ab})\,(\varepsilon_{mw}-\varepsilon_{dv})\,(\varepsilon_{mnw}-\varepsilon_{bcv})\,[L_1]}+$$

$$\frac{1}{[K]}\sum_{abcdmn}\sum_{L_1}\frac{\delta_\kappa(a,d)\,(-1)^{-b+c+K-m-n}\, X_{L_1}(anbc)\, Z_K(mwav)\, Z_{L_1}(bcdn)\, \langle d||z||m\rangle}{(\varepsilon_{mw}-\varepsilon_{av})\,(\varepsilon_{mw}-\varepsilon_{dv})\,(\varepsilon_{mnw}-\varepsilon_{bcv})\,[a]\,[L_1]}+$$

$$-\left(\frac{1}{[K]}\right)\sum_{abcdmn}\sum_{L_2}\frac{(-1)^{-a+b-c-d+L_2-m+n}\left\{\begin{array}{ccc} d & n & K \\ a & c & L_2 \end{array}\right\} Z_K(awcv)\, Z_{L_2}(bcmd)\, Z_{L_2}(mnba)\, \langle d||z||n\rangle}{(\varepsilon_{mn}-\varepsilon_{ab})\,(\varepsilon_{nw}-\varepsilon_{dv})\,(\varepsilon_{mnw}-\varepsilon_{bcv})\,[L_2]}+$$

$$\sum_{abcdmn}\sum_{L_1 L_2 L_3}\frac{(-1)^{K+L_3+n+w}\left\{\begin{array}{ccc} L_2 & L_3 & L_1 \\ a & b & m \end{array}\right\}\left\{\begin{array}{ccc} L_3 & d & w \\ c & L_1 & L_2 \end{array}\right\}\left\{\begin{array}{ccc} v & L_3 & n \\ d & K & w \end{array}\right\} X_{L_1}(awbc)\, Z_{L_2}(bcmd)\, Z_{L_3}(nmva)}{(\varepsilon_{mn}-\varepsilon_{av})\,(\varepsilon_{nw}-\varepsilon_{dv})\,(\varepsilon_{mnw}-\varepsilon_{bcv})}$$

$$-\sum_{abcdmn}\sum_{L_1 L_2}\frac{(-1)^{-a+b-c-d+K+L_1+L_2-m+n}\left\{\begin{array}{ccc} d & w & L_1 \\ a & c & L_2 \end{array}\right\}\left\{\begin{array}{ccc} v & L_1 & n \\ d & K & w \end{array}\right\} Z_{L_1}(ancv)\, Z_{L_2}(bcmd)\, Z_{L_2}(mwba)\, \langle d||z||n}{(\varepsilon_{mw}-\varepsilon_{ab})\,(\varepsilon_{nw}-\varepsilon_{dv})\,(\varepsilon_{mnw}-\varepsilon_{bcv})\,[L_2]}$$

$$-\left(\frac{1}{[K]}\right)\sum_{abcdmn}\sum_{L_1 L_2}\frac{\left\{\begin{array}{ccc} K & L_1 & L_2 \\ c & d & n \end{array}\right\}\left\{\begin{array}{ccc} L_2 & K & L_1 \\ a & b & m \end{array}\right\} X_{L_1}(anbc)\, Z_K(mwav)\, Z_{L_2}(cbdm)\, \langle d||z||n\rangle}{(\varepsilon_{mw}-\varepsilon_{av})\,(\varepsilon_{nw}-\varepsilon_{dv})\,(\varepsilon_{mnw}-\varepsilon_{bcv})}+$$

$\overline{h.c.s.}$

2.8 $Z_{0\times 3}\left(D_v[T_v^p]\right)$

$Z_{0\times 3}\left(D_v[T_v^p]\right) =$

$$\frac{1}{[K]\,[w]}\sum_{abmnrs}\sum_{L_1}\frac{\delta_\kappa(m,w)\,(-1)^{a+b+K-n-r+s+w}\,X_{L_1}(rsbm)\,Z_K(mnva)\,Z_{L_1}(bwrs)\,\langle a||z||n\rangle}{(\varepsilon_{mn}-\varepsilon_{av})\,(\varepsilon_{nw}-\varepsilon_{av})\,(\varepsilon_{nrs}-\varepsilon_{abv})\,[L_1]}+$$

$$\frac{1}{[K]}\sum_{abmnrs}\sum_{L_1}\frac{\delta_\kappa(m,s)\,(-1)^{a+b+K-n+r}\,X_{L_1}(nrbm)\,Z_K(mwav)\,Z_{L_1}(bsnr)\,\langle a||z||s\rangle}{(\varepsilon_{mw}-\varepsilon_{av})\,(\varepsilon_{sw}-\varepsilon_{av})\,(\varepsilon_{nrw}-\varepsilon_{abv})\,[L_1]\,[m]}+$$

$$\sum_{abmnrs}\sum_{L_1L_2}\frac{(-1)^{b+K+L_1-r+v+w}\left\{\begin{array}{ccc}L_1 & K & L_2\\ a & m & s\end{array}\right\}\left\{\begin{array}{ccc}n & w & L_1\\ K & L_2 & v\end{array}\right\}Z_{L_1}(bwrn)\,Z_{L_1}(rsbm)\,Z_{L_2}(mnav)\,\langle a||z||s\rangle}{(\varepsilon_{mn}-\varepsilon_{av})\,(\varepsilon_{sw}-\varepsilon_{av})\,(\varepsilon_{nrs}-\varepsilon_{abv})\,[L_1]}+$$

$$\sum_{abmnrs}\sum_{L_1L_2}\frac{(-1)^{b+K+L_1-r+v+w}\left\{\begin{array}{ccc}L_1 & K & L_2\\ a & n & s\end{array}\right\}\left\{\begin{array}{ccc}m & w & L_1\\ K & L_2 & v\end{array}\right\}Z_{L_1}(bsrn)\,Z_{L_1}(rwbm)\,Z_{L_2}(nmav)\,\langle a||z||s\rangle}{(\varepsilon_{mn}-\varepsilon_{av})\,(\varepsilon_{sw}-\varepsilon_{av})\,(\varepsilon_{nrw}-\varepsilon_{abv})\,[L_1]}+$$

$$\frac{1}{[K]}\sum_{abmnrs}\sum_{L_1L_2}\frac{(-1)^{b-n-v-w}\left\{\begin{array}{ccc}L_1 & L_2 & K\\ a & m & r\end{array}\right\}\left\{\begin{array}{ccc}w & v & K\\ L_1 & L_2 & s\end{array}\right\}X_{L_1}(rsmv)\,Z_K(mnab)\,Z_{L_2}(awrs)\,\langle b||z||n\rangle}{(\varepsilon_{mn}-\varepsilon_{ab})\,(\varepsilon_{nw}-\varepsilon_{bv})\,(\varepsilon_{nrs}-\varepsilon_{abv})}+$$

$$-\sum_{abmnrs}\sum_{L_1L_2L_3}\frac{(-1)^{K+L_3-n+w}\left\{\begin{array}{ccc}L_1 & L_2 & L_3\\ a & m & s\end{array}\right\}\left\{\begin{array}{ccc}L_2 & w & r\\ b & L_1 & L_3\end{array}\right\}\left\{\begin{array}{ccc}L_3 & w & b\\ K & n & v\end{array}\right\}X_{L_1}(rsbm)\,Z_{L_2}(awsr)\,Z_{L_3}(mna}{(\varepsilon_{mn}-\varepsilon_{av})\,(\varepsilon_{nw}-\varepsilon_{bv})\,(\varepsilon_{nrs}-\varepsilon_{abv})}$$

$$\sum_{abmnrs}\sum_{L_1L_2L_3}\frac{(-1)^{-b+K+L_3-v}\left\{\begin{array}{ccc}L_1 & L_2 & L_3\\ a & m & n\end{array}\right\}\left\{\begin{array}{ccc}s & v & L_3\\ L_1 & L_2 & r\end{array}\right\}\left\{\begin{array}{ccc}v & L_3 & s\\ b & K & w\end{array}\right\}X_{L_1}(nrmv)\,Z_{L_2}(asnr)\,Z_{L_3}(mwab}{(\varepsilon_{mw}-\varepsilon_{ab})\,(\varepsilon_{sw}-\varepsilon_{bv})\,(\varepsilon_{nrw}-\varepsilon_{abv})}$$

$$-\left(\frac{1}{[K]}\right)\sum_{abmnrs}\sum_{L_1L_2}\frac{\left\{\begin{array}{ccc}L_1 & L_2 & K\\ a & m & r\end{array}\right\}\left\{\begin{array}{ccc}L_2 & s & n\\ b & L_1 & K\end{array}\right\}X_{L_1}(nrbm)\,Z_K(mwav)\,Z_{L_2}(asrn)\,\langle b||z||s\rangle}{(\varepsilon_{mw}-\varepsilon_{av})\,(\varepsilon_{sw}-\varepsilon_{bv})\,(\varepsilon_{nrw}-\varepsilon_{abv})}+$$

$$-\left(\frac{1}{[K]}\right)\sum_{abmnrs}\sum_{L_1}\frac{(-1)^{a+b+L_1+m-n+r-s}\left\{\begin{array}{ccc}K & w & v\\ L_1 & m & r\end{array}\right\}Z_K(rsmb)\,Z_{L_1}(awnr)\,Z_{L_1}(nmav)\,\langle b||z||s\rangle}{(\varepsilon_{mn}-\varepsilon_{av})\,(\varepsilon_{sw}-\varepsilon_{bv})\,(\varepsilon_{nrs}-\varepsilon_{abv})\,[L_1]}+$$

$$\sum_{abmnrs}\sum_{L_1L_3}\frac{(-1)^{a+b+K+L_1+L_3-m-n+r-s}\left\{\begin{array}{ccc}L_3 & w & b\\ K & s & v\end{array}\right\}\left\{\begin{array}{ccc}r & L_3 & m\\ b & L_1 & w\end{array}\right\}Z_{L_1}(awnr)\,Z_{L_1}(nmab)\,Z_{L_3}(rsmv)\,\langle b||z||s\rangle}{(\varepsilon_{mn}-\varepsilon_{ab})\,(\varepsilon_{sw}-\varepsilon_{bv})\,(\varepsilon_{nrs}-\varepsilon_{abv})\,[L_1]}+$$

$$\sum_{abmnrs}\sum_{L_1L_3}\frac{(-1)^{a+L_3-n+v+w}\left\{\begin{array}{ccc}L_1 & K & L_3\\ b & r & s\end{array}\right\}\left\{\begin{array}{ccc}m & w & L_3\\ K & L_1 & v\end{array}\right\}Z_{L_1}(asnr)\,Z_{L_1}(nmav)\,Z_{L_3}(rwbm)\,\langle b||z||s\rangle}{(\varepsilon_{mn}-\varepsilon_{av})\,(\varepsilon_{sw}-\varepsilon_{bv})\,(\varepsilon_{nrw}-\varepsilon_{abv})\,[L_1]}+$$

$$-\left(\frac{1}{[K]}\right)\sum_{abmnrs}\sum_{L_1}\frac{(-1)^{a+b+L_1-m-n+r+s}\left\{\begin{array}{ccc}r & K & m\\ b & L_1 & s\end{array}\right\}Z_K(rwmv)\,Z_{L_1}(asnr)\,Z_{L_1}(nmab)\,\langle b||z||s\rangle}{(\varepsilon_{mn}-\varepsilon_{ab})\,(\varepsilon_{sw}-\varepsilon_{bv})\,(\varepsilon_{nrw}-\varepsilon_{abv})\,[L_1]}+$$

$$\sum_{abcmnr}\sum_{L_1L_2}\frac{(-1)^{-a+b-c+K+L_1+L_2-m+n-r}\left\{\begin{array}{ccc}v & L_2 & n\\ c & K & w\end{array}\right\}\left\{\begin{array}{ccc}w & L_2 & c\\ a & L_1 & m\end{array}\right\}Z_{L_1}(abcr)\,Z_{L_1}(rwbm)\,Z_{L_2}(mnav)\,\langle c||z||n\rangle}{(\varepsilon_{mn}-\varepsilon_{av})\,(\varepsilon_{nw}-\varepsilon_{cv})\,(\varepsilon_{nrw}-\varepsilon_{abv})\,[L_1]}$$

$$\frac{1}{[K]}\sum_{abcmnr}\sum_{L_1L_2}\frac{\left\{\begin{array}{ccc}K & L_1 & L_2\\ b & c & n\end{array}\right\}\left\{\begin{array}{ccc}K & L_2 & L_1\\ a & m & r\end{array}\right\}X_{L_1}(mnab)\,Z_K(rwmv)\,Z_{L_2}(abrc)\,\langle c||z||n\rangle}{(\varepsilon_{mn}-\varepsilon_{ab})\,(\varepsilon_{nw}-\varepsilon_{cv})\,(\varepsilon_{nrw}-\varepsilon_{abv})}+$$

$$\frac{1}{[K]}\sum_{abcmnr}\sum_{L_1}\frac{(-1)^{-a+b-c+L_1+m-n-r}\left\{\begin{array}{ccc}r & m & L_1\\ a & c & K\end{array}\right\}Z_K(mwav)\,Z_{L_1}(abcn)\,Z_{L_1}(nrbm)\,\langle c||z||r\rangle}{(\varepsilon_{mw}-\varepsilon_{av})\,(\varepsilon_{rw}-\varepsilon_{cv})\,(\varepsilon_{nrw}-\varepsilon_{abv})\,[L_1]}+$$

$$-\sum_{abcmnr}\sum_{L_1L_2L_3}\frac{(-1)^{K+L_3+r+w}\left\{\begin{array}{ccc}L_3 & c & w\\ b & L_1 & L_2\end{array}\right\}\left\{\begin{array}{ccc}L_3 & L_2 & L_1\\ a & m & n\end{array}\right\}\left\{\begin{array}{ccc}v & L_3 & r\\ c & K & w\end{array}\right\}X_{L_1}(mwab)\,Z_{L_2}(bacn)\,Z_{L_3}(rnvm}{(\varepsilon_{mw}-\varepsilon_{ab})\,(\varepsilon_{rw}-\varepsilon_{cv})\,(\varepsilon_{nrw}-\varepsilon_{abv})}$$

$$-\sum_{abcmnr}\sum_{L_1L_3}\frac{(-1)^{a+K+L_1-n+v+w}\left\{\begin{array}{ccc}K & L_3 & L_1\\ b & c & r\end{array}\right\}\left\{\begin{array}{ccc}m & w & L_3\\ K & L_1 & v\end{array}\right\}Z_{L_1}(abnc)\,Z_{L_1}(nmav)\,Z_{L_3}(rwbm)\,\langle c||z||r\rangle}{(\varepsilon_{mn}-\varepsilon_{av})\,(\varepsilon_{rw}-\varepsilon_{cv})\,(\varepsilon_{nrw}-\varepsilon_{abv})\,[L_1]}+$$

$$-\left(\frac{1}{[K]}\right)\sum_{abcmnr}\sum_{L_1}\frac{\delta_\kappa(c,m)\,(-1)^{-a+b+K-n-r}\,X_{L_1}(mnab)\,Z_K(rwmv)\,Z_{L_1}(abcn)\,\langle c||z||r\rangle}{(\varepsilon_{mn}-\varepsilon_{ab})\,(\varepsilon_{rw}-\varepsilon_{cv})\,(\varepsilon_{nrw}-\varepsilon_{abv})\,[c]\,[L_1]}+$$

$\overline{h.c.s.}$

2.9 Normalization correction

Finally, the angular reduction of normalization correction due to valence triple excitations is given by

$$Z_{\mathrm{norm}}(T_v) = -\frac{1}{2}\left(N_v^{(3)}(T_v) + N_w^{(3)}(T_w)\right)\langle w||z||v\rangle\,,$$

with

$$\frac{1}{2}N_v^{(3)}\left(T_v\right) =$$

$$\frac{1}{[v]}\sum_{abmnr}\sum_{L_1L_2L_3}\frac{\left\{\begin{array}{ccc} L_2 & L_3 & L_1 \\ a & m & n \end{array}\right\}\left\{\begin{array}{ccc} L_2 & r & v \\ b & L_1 & L_3 \end{array}\right\} X_{L_1}(mvab)\,X_{L_2}(nrmv)\,Z_{L_3}(abnr)}{\left(\varepsilon_{mv}-\varepsilon_{ab}\right)\left(\varepsilon_{nr}-\varepsilon_{ab}\right)^2}+$$

$$-\left(\frac{1}{[v]}\right)\sum_{abcmn}\sum_{L_1L_2L_3}\frac{\left\{\begin{array}{ccc} L_2 & n & v \\ c & L_1 & L_3 \end{array}\right\}\left\{\begin{array}{ccc} L_3 & L_2 & L_1 \\ a & b & m \end{array}\right\} X_{L_1}(avbc)\,X_{L_2}(mnav)\,Z_{L_3}(bcmn)}{\left(\varepsilon_{mn}-\varepsilon_{av}\right)\left(\varepsilon_{mn}-\varepsilon_{bc}\right)^2}+$$

$$-\frac{1}{\sqrt{[v]}}\sum_{abcmn}\sum_{L_1}\frac{\delta_\kappa(a,c)\,(-1)^{a+b+m-n}\,X_{L_1}(mnab)\,Z_0(avcv)\,Z_{L_1}(bcnm)}{\left(\varepsilon_{mn}-\varepsilon_{ab}\right)\left(\varepsilon_{mn}-\varepsilon_{bc}\right)^2\sqrt{[a]}\,[L_1]}+$$

$$\frac{1}{[v]}\sum_{abcmn}\sum_{L_1L_2}\frac{(-1)^{a+b-c+L_1-m+n-v}\,Z_{L_1}(anvc)\,Z_{L_1}(mvba)\,Z_{L_2}(bcmn)}{\left(\varepsilon_{mn}-\varepsilon_{bc}\right)^2\left(\varepsilon_{mv}-\varepsilon_{ab}\right)[L_1]^2}+$$

$$\frac{1}{\sqrt{[v]}}\sum_{abmnr}\sum_{L_1}\frac{\delta_\kappa(a,m)\,(-1)^{a+b-n+r}\,X_{L_1}(nrbm)\,Z_0(mvav)\,Z_{L_1}(banr)}{\left(\varepsilon_{m}-\varepsilon_{a}\right)\left(\varepsilon_{nr}-\varepsilon_{ab}\right)^2\sqrt{[a]}\,[L_1]}+$$

$$-\frac{1}{\sqrt{[v]}}\sum_{abcmn}\sum_{L_1}\frac{\delta_\kappa(a,m)\,(-1)^{-a-b+c-n}\,X_{L_1}(anbc)\,Z_0(mvav)\,Z_{L_1}(bcmn)}{\left(\varepsilon_{m}-\varepsilon_{a}\right)\left(\varepsilon_{mn}-\varepsilon_{bc}\right)^2\sqrt{[a]}\,[L_1]}+$$

$$-\left(\frac{1}{[v]}\right)\sum_{abmnr}\sum_{L_1L_2}\frac{(-1)^{a+b+L_2+m-n-r-v}\,Z_{L_1}(abnr)\,Z_{L_1}(nmav)\,Z_{L_2}(rvbm)}{\left(\varepsilon_{mn}-\varepsilon_{av}\right)\left(\varepsilon_{nr}-\varepsilon_{ab}\right)^2[L_2]^2}+$$

$$\frac{1}{\sqrt{[v]}}\sum_{abmnr}\sum_{L_1}\frac{\delta_\kappa(m,r)\,(-1)^{-a+b-m-n}\,X_{L_1}(mnab)\,Z_0(rvmv)\,Z_{L_1}(banr)}{\left(\varepsilon_{mn}-\varepsilon_{ab}\right)\left(\varepsilon_{nr}-\varepsilon_{ab}\right)^2[L_1]\sqrt{[m]}}\,.$$